CONTENTS OF VOLUME 33 (1988)

AMI, E. & VOEGELE, J. :
Les Trichogrammes marchent sur l'eau 256

-MALIKY, S.K., AL-IZZI, M.A.J. & JABBO, N.F. :
Effects of temperature and photoperiod on the development and oviposition of *Apanteles* sp. group *ultor* [*Hym. : Braconidae*], a larval parasite of the carob moth *Ectomyeloïs ceratoniae* [*Lep. : Pyralidae*] 193

ILLA, J. & COPLAND, M.J.W. :
Development rate, number of mature oocytes at emergence and adult size of *Encarsia tricolor* at constant and variable temperatures 289

SSANGAMA, A., FABRES, G. & NENON, J.P. :
Parasitisme au laboratoire et au champ d'*Epidinocarsis* (*Apoanagyrus*) *lopezi* [*Hym. : Encyrtidae*] auxiliaire exotique introduit au Congo pour la régulation de l'abondance de *Phenacoccus manihoti* [*Hom. : Pseudococcidae*] 453

IVIN, G. :
Laboratory rearing of *Anaphes sordidatus* [*Hym. : Mymaridae*] on carrot weevil eggs [*Col. : Curculionidae*] 245

LLER, E.F., REMUND, U. & CANDOLFI, M.P. :
Hedges as potential sources of *Typhlodromus pyri,* the most important predatory mite in vineyards of northern Switzerland 249

OBYN, P.J., CLARK S.J. & WILDING, N. :
The effect of fungus infection of *Metopolophium dirhodum* [*Hom. : Aphididae*] on the oviposition behaviour of the aphid parasitoïd *Aphidius rhopalosiphi* [*Hym. : Aphidiidae*] 333

TCHER, M.R., PENMAN, D.R. & SCOTT, R.R. :
Field predation of twospotted spider mite in a New-Zealand strawberry crop 173

STA, A. & STARÝ, P. :
Lysiphlebus testaceipes, an introduced aphid parasitoïd in Portugal [*Hym. : Aphidiidae*] 403

NGDON, B.D. & MCMURTRY, J.A. :
Prey selectivity in *Euseius tularensis* [*Acari. : Phytoseiidae*] 281

ANDRA, G. & DYCK, V.A. :
New techniques of rearing *Anagrus flaveolus* [*Hym. : Mymaridae*], an egg parasitoïd of the brown planthopper 239

Y, W.H. & HEDLUNG, R.C. :
Biological comparisons between arrhenotokous and thelytokous biotypes of *Mesochorus nigripes* [*Hym. : Ichneumonidae*] 201

ENBERG, J. & PHILIPSEN, M. :
The occurrence of Entomophthorales on the carrot fly [*Psila rosae*] in the field during two successive seasons 135

RGUES, J., ROUGIER, M., GOUJET, R. & ITIER, B. :
Effet du rayonnement solaire sur la persistance des conidiospores de l'hyphomycète entomopathogène *Nomuraea rileyi,* à la surface d'un couvert végétal 357

VLER, H.G. :
Suitability of *Scapteriscus* moles crickets [*Ort. : Gryllotalpidae*] as hosts of *Euphasiopteryx depleta* [*Dipt. : Tachinidae*] 397

NZ, J.M. :
Highlights in the development of the International Organization for Biological Control of noxious animals and plants. From *C.I.L.B.* to *I.O.B.C./O.I.L.B.* and *W.P.R.S./S.R.O.P.* 131

VAL, A. & HADDAN, M. :
Platystasius transversus [*Hym. : Platygasteridae*] parasitoïde oophage de *Phoracantha semipunctata* [*Col. : Cerambycidae*] au Maroc 381

parasitoïde, 439.
parasitoids, 505.
pecan, 371.
Pectinophora gossypiella, 309.
persistance, 357.
persistence, 73.
pest, 115.
Phoracantha semipunctata, 381.
photoperiod, 193.
Phyllotreta, 25.
Phytoseiidae, 33, 281.
Phytoseiulus persimilis, 435.
Phytoseius finitimus, 435.
Pieris brassicae, 73.
pirimiphos methyl, 377.
Platigasteridae, 381.
Platystasius transversus, 381.
ponte, 439.
population régulation, 135.
potentiel parasitaire, 453.
predacious mites, 349.
predation, 173, 517.
predator, 43, 101, 249, 431.
preference, 281.
prey selectivity, 281.
propiconazole, 87.
Propylea quatuordecimpunctata, 505.
Psila rosae, 135.
Puerto-Rico, 269.
pyrazophos, 87.

Q

R

rayonnement solaire, 357.
rearing, 239.
relations hôte-parasitoïde, 453.
release, 435.
résistance, 55.
résurgence, 87.

S

Sarcophaga, 431.
Sathrobrota simplex, 309.
Scapteriscus, 397.
Sciomyzidae, 387.
Scymnus (Nephus) reunioni, 101.
seasonal abundance, 115.
secondary poisoning, 349.
Serangium parcesetosum, 517.
serology, 173.
sérovariétés, 163.
sibling species, 201.
snail, 431.
sorghum, 43.
Spalangia nigra, 495.
spider mites, 249.
Spodoptera exigua, 299.
Spodoptera frugiperda, 55, 163.
stable fly, 495.
strawberries, 173.
summer fruit tortrix, 413.

T

Tachinidae, 397.
température, 289, 387.
Tetranychus urticae, 173, 435.
thelytoky, 269.
thermal constant, 193.
Thrips tabaci, 33.
tissue culture, 261.
tomato, 219.
toxicité, 163.
Townesilitus bicolor, 25.
triadimefon, 87.
Trialeurodes vaporariorum, 219.
Tribolium castaneum, 377.
Trichogramma, 413.
Trioxys indicus, 17.
Trioxys pallidus, 371.
twospotted spider mites, 173.
Typhlodromus pyri, 249.
Tyta luctuosa, 185.

U

V

vegetable crops, 219.
viticulture, 249.

W

X

Y

yellow rice borer, 115.

Z

UXA, J.R., MITCHELL, F.L. & RICHTER, A.R. :
Resistance of *Spodoptera frugiperda* [*Lep. : Noctuidae*] to a nuclear polyhedrosis virus in the field and laboratory 55

ABARRA, R., CASTAÑE, C., BORDAS, E. & ALBAJES, R. :
Dicyphus tamaninii as a beneficial insect and pest in tomato crops in Catalonia, Spain 219

ORMALLY, M.J. :
Studies on the oviposition and longevity of *Ilione albiseta* [*Dipt. : Sciomyzidae*] - potential biological control agent of liver fluke 387

ALL, R.B. & FISCHER, F.J. :
Laboratory studies on the biology of *Spalangia nigra* [*Hym. : Pteromalidae*] 495

ASSAN, S.A. KOHLER, E. & ROST, W.M. :
Mass production and utilization of *Trichogramma* : 10. Control of the codling moth *Cydia pomonella* and the summer fruit tortrix moth *Adoxophyes orana* [*Lep. : Tortricidae*] 413

EMPTINNE, J.L. :
Ecological requirements for hibernating *Propylea quatuordecimpunctata* (L.) and *Coccinella septempunctata* [*Col. : Coccinellidae*] 505

ERNANDEZ, J.L.L. :
Evaluation de la toxicité de *Bacillus thuringiensis* sur *Spodoptera frugiperda* 163

KIM, I.S. :
Seasonal parasitism by egg parasites of the yellow riceborer, *Scirpophaga incertulas* [*Lepidoptera : Pyralidae*] 115

OFFMANN, J.H. :
Pre-release assessment of *Nanaia* spp. [*Lepidoptera : Phyticidae*] from *Opuntia pascoensis* for biological control of *Opuntia aurantiaca* [*Cactaceae*] 81

UNG, A.C.F., DAY, W.H. & HEDLUNG, R.C. :
Genetic variability in arrhenotokous and thelytokous forms of *Mesochorus nigripes* [*Hym. : Ichneumonidae*] 7

HEVSKY, S.S. & ORLINSKY, A.D. :
Life history of the imported *Scymnus* (*Nephus*) *reunioni* [*Col. : Coccinellidae*] predator of mealybugs 101

LALI, S.K., SINGH, S.P., KUMAR, P. & BALLAL, C.R. :
Influence of the food plants on the degree of parasitism of larvae of *Heliothis armigera* by *Cotesia kazak* 65

NES, R.W., GILSTRAP, F.E. & ANDREWS, K.L. :
Biology and life tables for the predaceous earwig *Doru taeniatum* [*Derm. : Forficulidae*] 43

IAN, A.R. & SELMAN, B.J. :
On the mortality of *Tribolium castaneum* adults treated sublethally as larvae with pirimiphos methyl, *Nosema whitei* and pirimiphos methyl - *N. whitei* doses 377

IAN, S.M. & ÖZER, M. :
Biology of *Microplitis mediator* [*Hym. : Braconidae*] a gregarious endoparasite of *Agrotis segetum* [*Lep. : Noctuidae*] 211

INGLER, J. :
Investigations on the parasitism of *Otiorrhynchus salicicola* and *O. sulcatus* [*Col. : Curculionidae*] by *Heterorhabditis* sp. [*Nematoda*] 325

VALEV, O.V. :
A new biological phenomenon : the solitary population wave, and its role in the biological control of pests, weeds in particular 259

MAR, A., SHANKER, S., PANDEY, K.P., SINHA, T.B. & TRIPATHI, C.P.M. :
Parasitoid-host relationship between *Trioxys* (*Binodoxys*) *indicus* [*Hymenoptera : Aphidiidae*] and *Aphis craccivora* [*Hemiptera : Aphididae*]. VI. Impact of males on the number of progeny of the parasitoid reared on certain host-plants 17

GNER, E.F. :
Studies of four thelytokous puerto rican isolates of *Muscidifurax uniraptor* [*Hymenoptera : Pteromalidae*] 269

LAUSA, J.C., FRANCO, E. & BRUN, P. :
Acclimatation sur la Côte d'Azur et en Corse de *Serangium parcesetosum* [*Col. : Coccinellidae*] prédateur de l'Aleurode des Citrus, *Dialeurodes citri* [*Hom. : Aleyrodidae*] 517

MANSOUR, F. :
Parasites of *Monellia caryella* [*Hom. : Aphididae*] : phenology and effect on the aphid population in pecan orchard in Israël 371

MEYERDIRK, D.E., KHASIMUDDIN, S. & BASHIR, M. :
Importation, colonization and establishment of *Anagyrus indicus* [*Hym. : Encyrtidae*] on *Nipaecoccus viridis* [*Hom. : Pseudococcidae*] in Jordan 229

NORGAARD, R.B. :
Economics of the Cassava mealybug [*Phenacoccus manihoti* ; *Hom. : Pseudococcidae*] biological control program in Africa 3

ØAARD, L., WILLIAMS, C.F., PAYNE, C.C. & ZETHNER, O. :
Activity persistance of granulosis viruses [*Baculoviridae*] in soils in United Kingdom and Denmark 73

ONILLON, J.C. :
Lutte biologique et intégrée dans les vergers de Citrus en zone méditerranéenne 481

OOI, P.C.A. :
Laboratory studies of *Tetrastichus sokolowskii* 145

PARASHAR, B.D. & RAO, K.M. :
Biological studies of the flesh fly *Sarcophaga* (*Parasarcophaga*) *misera* and its effects as a predator of the snail *Indoplanorbis exustus* 431

POUVREAU, A. :
Contribution à l'étude du cycle évolutif préimaginal d'*Aphomia sociella* L. [*Lepidoptera, Pyralidae, Galleriinae*], ravageurs des nids de bourdons 467

RASMY, H.A. & ELLAITHY, A.Y.M. :
Introduction of *Phytoseiulus persimilis* for two spotted spider mite control in green houses in Egypt. [*Acari : Phytoseiidae, Tetranychidae*] 435

REDA, A.S. & EL-BANHAWY, E.M. :
Effect of avermectin and dicofol on the immatures of the predacious mite *Amblyseius gossipi* with a special reference of the secondary poisoning effect on the adult female [*Acari : Phytoseiidae*] 349

ROMBACH, M.C., AGUDA, R.M. & ROBERTS, D.W. :
Production of *Beauveria bassiana* [*Deuteromycotina : Hyphomycètes*] in different liquid media and subsequent conidiation of dry mycelium 315

ROSENTHAL, S.S., CLEMENT, S.L., HOSTETTLER, N. & MIMMOCHI, T. :
Biology of *Tyta luctuosa* [*Lep. : Noctuidae*] and its potential value as a biological control agent for the weed *Convolvulus arvensis* 185

ROTUNDO, G., CAVALLORO, R. & TREMBLAY, E. :
In vitro rearing of *Lysiphlebus fabarum* [*Hym. : Braconidae*] 26

SINGH, J., SANDHU, S.S. & SIDHU, A.S. :
Adult emergence pattern of parasitoid *Apanteles angaleti* and its known hosts during offseason in Punjab 309

SMITS, P.H. & VLAK, J.M. :
Selection of nuclear polyhedrosis viruses as biological control agents of *Spodoptera exigua* [*Lep. : Noctuidae*] 29

SOTHERTON, N.W. & MOREBY, S.J. :
The effects of foliar fungicides on beneficial arthropods in wheat fields 8

SPENCER, N.R. :
Inundative biological control of velvetleaf, *Abutilon theophrasti* [*Malvaceae*] with *Niesthrea louisianica* [*Hem. : Rhopalidae*] 42

ENTOMOPHAGA

BON D'ABONNEMENT
SUBSCRIPTION ORDER FORM

A retourner à/*to be returned to :*

LAVOISIER ABONNEMENTS
11, rue Lavoisier - F 75384 PARIS CEDEX 08

Nom *(Name)* .....
Société *(Firm)* .....
Adresse *(Address)* .....
Ville (Town) ..... Code postal ..... *(Postal Code)*
Pays *(Country)* .....
Date ..... Signature .....

☐ Je souscris . . . abonnement(s) aux 4 numéros du volume 34 (1989).
Enter . . . subscription(s) covering the 4 issues of volume 34 (1989).

ENTOMOPHAGA

France	**455 FF**
Europe	**495 FF**
Autres pays *(par avion)* / **Other countries** *(air mail postage incl.)*	**540 FF**

Toute la série d'*Entomophaga* du tome 1 (1956) au tome 33 (1988) est disponible. Tarifs sur demande.
Complete sets of vol. 1 (1956) to vol. 33 (1988) of Entomophaga *are still available. Rates on request.*

• Les membres de l'OILB bénéficieront de conditions particulières en adressant leurs commandes à :

Secrétariat général de l'OILB
C.S.I.R.O. Biological Control Unit
335, avenue Abbé Paul-Parguel - F 34100 MONTPELLIER FRANCE.

• Members of IOBC qualify for a preferential rate if their orders are directly placed with :

IOBC, General Secretariat
C.S.I.R.O. Biological Control Unit
335, avenue Abbé Paul-Parguel - F 34100 MONTPELLIER FRANCE.

Diffusion à l'étranger *
Suppliers outside France**

• **ALGÉRIE**
ENAMEP
20, rue de la Liberté
Alger

• **BELGIQUE**
O.I.P.
Avenue Louise 485
Bruxelles

• **CANADA**
SOMABEC Ltée
Case postale 295
St-Hyacinthe (Québec) J2S 5T5

• **CHINE**
C.N.P.I.E.C.
Po Box 88
Beijing

• **ESPAGNE**
DIPSA
Francisco Aranda, 43
Barcelone 5

• **MAROC**
SMER
3, rue Ghazza
Rabat

• **TUNISIE**
S.T.D.
5, avenue de Carthage
Tunis

* Pour les pays ci-dessus le Bon d'abonnement est à retourner directement au diffuseur.

*** For the above countries Subscription order form is to be returned directly to the supplier.*

STENGÅRD HANSEN, L. :
Control of *Thrips tabaci* [*Thysanoptera : Thripidae*] on glasshouse cucumber using large introductions of predatory mites *Amblyseius barkeri*[*Acarina : Phytoseiidae*] .....

THIBOUT, E. :
La spécificité de *Diadromus pulchellus* [*Hyménoptère : Ichneumonidae*] vis-à-vis de son hôte *Acrolepiopsis assectella,* la Teigne du poireau .....

WEGENSTEINER, R. & FÜHRER, E. :
Zur Wirksamkeit von *Beauveria bassiana* (BALS) VUILL. gegen *Hylobius abietis* [*Col. : Curculionidae*] .....

WESELOH, R.M. :
Host recognition by the gypsy moth [*Lymantria dispar*] [*Lep. : Lymantriidae*] hyperparasite, *Eurytoma appendigaster* [*Hym. Eurytomidae*] of cocoons of *Cotesia melanoscela* [*Hym. : Braconidae*] .....

WYLIE, H.G. :
Release in Manitoba, Canada of *Townesilitus bicolor* [*Hym. : Braconidae*], an european parasite of *Phyllotreta* spp. [*Col. : Chrysomelidae*] .....

LIST OF ERRATA

Vol. 33 (3) p. 290 read:

— *Females.* — Mated ♀♀ of *E. tricolor,* from the stock culture, were given access t *T. vaporariorum* nymphs of the 3rd-4th instar for about 20 h, inclusive of only one ligl period, at 24 ± 1 °C. Parasitoids were held in clip-on cages of 3 cm diameter. The numb of♀♀ per cage and number of cages at each temperature were variable. The actual numb of parasitoids recorded is shown in the figures and tables.

Vol. 33 (3) p. 330, TABLE 4, line 2, read :

B_1	6	20	− 12	8,000	4.2 ± 1.08a

Directeur de publication : Pierre FENOUIL. N° de la Commission paritaire : 65346
Composé et Imprimé par JOUVE, 18, rue Saint-Denis, 75001 Paris
N° 11024. Dépôt légal : janvier 1989